

General information

Club Panama Amsterdam Oostelijke Handelskade 4, 1019 BM Amsterdam

Technical supplier

Luxonos B.V.

Main contact AV support: Martijn Post (Sales) | martijn@luxonos.nl | +31 (0) 85 732 6332 -> Questions? Please E-mail us: Info@luxonos.nl or give us a call: +31 (0) 35 203 1026

Parking:

There are a few parking spaces on the Oostelijke Handeldkade There are several parking garages around Panama

Wi-Fi:

Wireless internet is available throughout the venue.

Dressing rooms:

Two dressing rooms are available at the venue. Outside are one toilet and one shower room available











STUDIO ROOM

- Capacity: 150 pax maximum - FOH position: Behind bar

- Power available: 1x 32A wall connect box (Luxonos can arrange a power-box)

PA system

02pc. Martin Audio – Custom top speaker (2x 12inch) (Main PA) 02pc. Martin Audio – Custom subwoofer (1x 21inch) (Main PA)

PA Booth

01pc. Pioneer XY-122 (Top)

Wireless microphone

Not in house available - You can rent those from Luxonos.

DJ Gear (included in the rental price)

See the quantity of the main room (that can be use in both rooms).

→ Need some extra? Or special request for riders, please ask Luxonos!

Lights

Matrix lights (see picture) with On PC control (standard programs only!)





CLUB ROOM

- Capacity: 1050 pax maximum
- Stage: 7.00m wide x 2.80m deep x 1.00m high
- FOH position: Up on the balcony, about 10.00m from stage
- Power available: 1x 63A plug (Luxonos can arrange a power-box)

PA system

04pc. Pioneer XY-3B (Main PA - tops)

08pc. Pioneer XY-118s (Main PA – subs)

08pc. Pioneer XY-81 8-inch (Infill speakers)

03pc. Pioneer XY-101 10-inch (Champagne bar speakers)

06pc. Pioneer XY-122 12inch PA speaker (delay speakers)

06pc. Pioneer XY-215S Quasi-Banspass (Delay subs)

Audio control

Midas M32R (FOH) + DL32 in rack (backstage)

PA Booth

02pc. Pioneer XY-122 (Top)

Wireless microphone

Not in house available - You can rent those from Luxonos.

DJ Gear (included in the rental price)

01pc Pioneer DJM-A9 mixer

01pc Pioneer DJM-V10 mixer

03pc Pioneer CDJ3000

04pc Pioneer CDJ2000

→ Need some extra? Or special request for riders, please ask Luxonos! At standard we place in the MAIN room always; 03x CDJ3000 + A9 mixer

Lights (see the 3rd page for the plot and patch)

04pc. Showtex Hybrid 3R Movinghead

04pc. Varytec Hero Beam100 Movinghead

04pc. Showtec sunstrip MK1

20pc. Stairville Led Bar 240/8 RGB

01pc. Geni Golden Strobe FL1800 MKII

06pc. Fresnel 1KW

Lights control

Infinity Chimp300

Laser

4pc. Laserworld CS1000 RGB MK3 (Laser Control: Pangolin Quickshow)


Smoke

1pc. ADJ Venue hazer



PANAMA*

Location overview (club room)







Patch list

| User ID | Manufacturer | Туре | Mode | Channels | Instances | Name | Universe | Address | Parked | React To Master | Invert Pan | Invert Tilt |
|---------|--------------|-------------------------|---------------------|----------|-----------|-------------------------|----------|---------|--------|-----------------------|---------------|----------------|
| 1 | Generic | Dimmer | 8 Bit | 1 | 1 | Front links | 6 | 1 | | Yes | | |
| 2 | Generic | Dimmer | 8 Bit | 1 | 1 | Front mid | 6 | 2 | | Yes | | |
| 3 | Generic | Dimmer | 8 Bit | 1 | 1 | Front rechts | 6 | 3 | | Yes | | |
| 4 | Generic | Dimmer | 8 Bit | 1 | 1 | Bar | 6 | 33 | | Yes | | |
| 5 | Generic | Dimmer | 8 Bit | 1 | 1 | Dimmer | 6 | 34 | | Yes | | |
| 6 | Generic | Dimmer | 8 Bit | 1 | 1 | Dimmer | 6 | 35 | | Yes | | |
| 7 | Generic | Dimmer | 8 Bit | 1 | 1 | Pilaren | 6 | 36 | | Yes | | |
| 8 | Generic | Dimmer | 8 Bit | 1 | 1 | Spot onder balk | 6 | 37 | | Yes | | |
| 9 | Generic | Dimmer | 8 Bit | 1 | 1 | Ring Links | 6 | 38 | | Yes | | |
| 10 | Generic | Dimmer | 8 Bit | 1 | 1 | Ring rechts | 6 | 39 | | Yes | | |
| 11 | Generic | Dimmer | 8 Bit | 1 | 1 | Bar beneden | 6 | 40 | | Yes | | |
| 101 | Showtec | Phantom 3R Hybrid | 19 Channel | 19 | 1 | Phantom 3R Hybrid | 1 | 1 | | Yes | | |
| 102 | Showtec | Phantom 3R Hybrid | 19 Channel | 19 | 1 | Phantom 3R Hybrid | 1 | 20 | | Yes | | |
| 103 | Showtec | Phantom 3R Hybrid | 19 Channel | 19 | 1 | Phantom 3R Hybrid | 1 | 39 | | Yes | | |
| 104 | Showtec | Phantom 3R Hybrid | 19 Channel | 19 | 1 | Phantom 3R Hybrid | 1 | 58 | | Yes | | |
| 121 | Briteq | BT-60LS | 15ch Full Colors | 15 | 1 | BT-60LS | 1 | 137 | | Yes | | |
| 122 | Briteq | BT-60LS | 15ch Full Colors | 15 | 1 | BT-60LS | 1 | 152 | | Yes | | |
| 123 | Briteq | BT-60LS | 15ch Full Colors | 15 | 1 | BT-60LS | 1 | 167 | | Yes | | |
| 124 | Briteq | BT-60LS | 15ch Full Colors | 15 | 1 | BT-60LS | 1 | 182 | | Yes | | |
| 151 | Varytec | Hero Beam 100 | 19 Channel | 19 | 1 | Hero Beam 100 | 3 | 97 | | Yes | | Invert |
| 152 | Varytec | Hero Beam 100 | 19 Channel | 19 | 1 | Hero Beam 100 | 3 | 116 | | Yes | | Invert |
| 153 | Varytec | Hero Beam 100 | 19 Channel | 19 | 1 | Hero Beam 100 | 3 | 135 | | Yes | | Invert |
| 154 | Varytec | Hero Beam 100 | 19 Channel | 19 | 1 | Hero Beam 100 | 3 | 154 | | Yes | | Invert |
| 201 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 1 | | Yes | | |
| 202 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 25 | | Yes | | |



PANAMA*

Technical rider

| | | 1 | 1 | | 1 | T | | , | | |
|-----|------------|----------------------------------------|--------|----|----|----------------------------------------|---|-----|-----|--|
| 203 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 49 | Yes | |
| 204 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 73 | Yes | |
| 205 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 97 | Yes | |
| 206 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 121 | Yes | |
| 207 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 145 | Yes | |
| 208 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 169 | Yes | |
| 209 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 193 | Yes | |
| 210 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 217 | Yes | |
| 211 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 241 | Yes | |
| 212 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 265 | Yes | |
| 213 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 289 | Yes | |
| 214 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 313 | Yes | |
| 215 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 337 | Yes | |
| 216 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 2 | 361 | Yes | |
| 217 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 3 | 1 | Yes | |
| 218 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 3 | 25 | Yes | |
| 219 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 3 | 49 | Yes | |
| 220 | Stairville | LED Bar 240/8 RGB | Mode 4 | 24 | 8 | LED Bar 240/8 RGB | 3 | 73 | Yes | |
| 301 | Botex | Strip Blinder Sunstrip Active | Mode 4 | 10 | 10 | Strip Blinder Sunstrip Active | 1 | 77 | Yes | |
| 302 | Botex | Strip Blinder Sunstrip Active | Mode 4 | 10 | 10 | Strip Blinder Sunstrip Active | 1 | 87 | Yes | |





Technical rider

| 303 | Botex | Strip Blinder Sunstrip Active | Mode 4 | 10 | 10 | Strip Blinder Sunstrip Active | 1 | 97 | Yes | |
|--------|---------|----------------------------------------|-----------------------|----|----|----------------------------------------|---|-----|-----|--|
| 304 | Botex | Strip Blinder Sunstrip Active | Mode 4 | 10 | 10 | Strip Blinder Sunstrip Active | 1 | 107 | Yes | |
| 351 | Generic | RGBW | Default | 4 | 1 | RGBW | 5 | 256 | Yes | |
| 352 | Generic | RGBW | Default | 4 | 1 | RGBW | 1 | 199 | Yes | |
| 353 | Generic | RGBW | Default | 4 | 1 | RGBW | 1 | 207 | Yes | |
| 451 | BeamZ | Lucid 1.2 COB 2x10W | 10 Channel Mode | 10 | 3 | Lucid 1.2 COB 2x10W | 1 | 117 | Yes | |
| 452 | BeamZ | Lucid 1.2 COB 2x10W | 10 Channel Mode | 10 | 3 | Lucid 1.2 COB 2x10W | 1 | 127 | Yes | |
| 501 | Geni | Golden Strobe FL-1800D MKII | Standard Mode | 2 | 1 | Golden Strobe FL-1800D MKII | 1 | 197 | Yes | |
| 801 | Botex | Strip Blinder Sunstrip Active | Mode 4 | 10 | 10 | Strip Blinder Sunstrip Active | 5 | 101 | Yes | |
| 901 | ADJ | COB Cannon Wash | 10 Channel | 10 | 1 | COB Cannon Wash | 2 | 400 | Yes | |
| 902 | ADJ | COB Cannon Wash | 10 Channel | 10 | 1 | COB Cannon Wash | 2 | 410 | Yes | |
| 903 | ADJ | COB Cannon Wash | 10 Channel | 10 | 1 | COB Cannon Wash | 2 | 420 | Yes | |
| 1001 | ADJ | Entour Venue | 2 Channel | 2 | 1 | Entour Venue | 1 | 501 | Yes | |
| 100000 | Generic | Dimmer | 8 Bit | 1 | 1 | Dimmer | 6 | 30 | Yes | |
| 100001 | Generic | Dimmer | 8 Bit | 1 | 1 | Dimmer | 6 | 31 | Yes | |
| 100002 | Generic | Dimmer | 8 Bit | 1 | 1 | Dimmer | 6 | 32 | Yes | |





Decor


All decor pieces have to be fire resistant. A certificate has to be provided with backdrops. Otherwise we will conduct a fire test, hereby we will set fire to a small piece of your backdrop.

All décor pieces of wood, or other constructions that need to be flown into our trusses have to come with proper rigging material to hang it from our trusses. All sorts of clamps and steels are available widely on the market to make the construction save. We do have the right to not fly your décor when we think it's not save to fly.

Panama properties

Moving our barriers, posts, tables and/or chairs, for example, is not allowed. Use of this is only allowed in consultation with the club manager.

Stage



Special FX rules:

Using special fx is allowed in our club with the approval of our in-house technician. The use of confetti is allowed but this only applies if it is metallic confetti.

- The use of confetti, pyrotechnics C02 or other FX is only allowed after mutual satisfaction. When using pyro or C02 we ask for a risk assessment beforehand. Paper confetti is NOT allowed
- When using stage flames, a frame must be taped around where no one is allowed to stand We do not supply tape and the organizer will have to bring this himself.
- When using co2 cannons, this must be adjusted in a safe way so that no injuries can occur when firing the co2.
- The use of a bubble machine is not allowed.



Technical rider



Stagehands:

At a large show that requires more than 1 technician, this must be indicated at least 2 weeks before the show. When bringing your own technical crew, this must be indicated at least 1 week before the show.

Emergency exits:

All emergency exits and exit roads must always remain visible to the public. It is strictly forbidden to block these roads. If these emergency exits are blocked, the organizer must solve this immediately.

DB-limit:

we strictly use a dB limit of 103 dBA LAeq measured over 15 minutes at the FOH using a 10Eazy log system.

Our technician is allowed to maintain the dB level controlling the master bus, any discussion will lead in insertion of limiters in the main PA. Our technician is allowed to do this without consultation If the artist is at the volume and it is louder than the allowed rule, measures will be taken immediately





PRICES - (Standard package options)

Want to use the LED screen in Panama?

- LED 4.00 x 2.00 €395.00 Ex. VAT.
- >Your own visuals and logos can be loaded as standard. We are happy to discuss the possibilities!
- Optional VJ (for live visuals during the show) €125.00 Ex. VAT. (per hour)

LED is config: Pixel ratio: 1024 x 512 px

Please give your content the resolution: 1080p in a .mov file, encoded in H.265.

SFX options

- Confetti set (02x shots) from balcony €75.00 Ex. VAT
- Price per 02x cannon (confetti) per shot €20.00 Ex. VAT
- CO2 SET (02x jets) + 80 seconds CO2 effect €225.00 Ex. VAT
- Cold fire SET (02x jets) + powder (15 min) €325.00 Ex. VAT
- Cold fire SET (04x jets) + powder (15 min) €450.00 Ex. VAT

Standard extra options (personnel)

- Separate sound engineer for live performances (based on daily rate / max 10 hours) €500.00 Ex. VAT.
- Separate lighting technician for light show (based on daily rate / max 10 hours) €500.00 Ex. VAT.
- Extra technical support (per hour), on top of the daily price €50,- Ex. VAT / per hour.

Do you have live artists?

If there are live performances with artists, you must notify us at least 14 days before your event. In the presence of live artists, as agreed in the agreement with Panama, an additional audio technician must be hired from us + additional materials needed for the riders. Please send us the riders in advance so that we can give you appropriate and good advice.

Do you want advice or do you have questions please ask Luxonos; Martijn Post / martijn@luxonos.nl

